

SPEEDY SERIES



CONTENTS


DOOR LOCKS	01-02
FURNITURE LOCKS	03-04
NIGHT LATCH LOCKS	05-08
DOOR CLOSERS	09-11
MORTISE LEVER HANDLES	12
ALDROPS & TOWER BOLTS	13-14
DOOR STOPPERS	15
DOOR PULL HANDLES	16
WIRE BASKETS	17-21




**DOOR
LOCKS**

SPEEDY

Morphy Life Lite | OZ-FDL-01 LITE
OZ-FDL-01 LIFE LITE



IRIS- VDP Integrated Smart Lock
OFDL-IRIS-VDP-OL STD BLACK




Specifications

Smart Features:	Door Bell Function Smart Freeze Anti-Theft Password Universal Handle USB Battery Backup Auto Locking Passage Mode Night Latch Capacitive Fingerprint Sensor Remote Location Unlocking
Password:	4-9 digits number combination
Door Thickness:	35-110mm
Power:	AA Alkaline Battery X4 (DC 6V)
Battery Life:	Approx. 3500 Open & Close Operations
Types of Password:	Permanent OTP Cyclic Password

Access Modes	Registration
Fingerprint	Upto 25 Nos.
RFID	Upto 25 Nos.
Password	Upto 25 Nos.

Atom-11 | OE-ATOM-11-L*




Specifications

Smart Features:	Passage Mode Audit Trail Anti-Theft Password Universal Handle USB for Battery Backup Low Power Consumption Smart Freeze Dual Combination Mode Doorbell Volume Setting Remote Location Unlocking Privacy Locking Night Latch
Password:	6-15 digits number combination
Door Thickness:	35-80mm
Power:	AA Alkaline Battery X8 (DC 6V)
Battery Life:	Approx. 3500 Open & Close Operations
Types of Password:	Timed Permanent

Access Modes	Registration
Fingerprint	Upto 100 Nos.
RFID	Upto 100 Nos.
Password	Upto 100 Nos.

Atom-22 | OE-ATOM-22-L*



Specifications

Smart Features:	Passage Mode Audit Trail Anti-Theft Password Universal Handle USB for Battery Backup Low Power Consumption Smart Freeze Dual Combination Mode Doorbell Volume Setting Remote Location Unlocking Privacy Locking
Password:	6-15 digits number combination
Door Thickness:	35-80mm
Power:	AA Alkaline Battery X4 (DC 6V)
Battery Life:	Approx. 3500 Open & Close Operations
Types of Password:	Timed Permanent

Access Modes	Registration
Fingerprint	Upto 100 Nos.
RFID	Upto 100 Nos.
Password	Upto 100 Nos.

IRIS LOCK ACCESSORIES



OFDL-IRIS-VDP-OL-REMOTE STD BLACK



OFDL-IRIS-VDP-OL-TRM STD BLACK



OZ-GATEWAY-11

*Available online only.



FURNITURE
LOCKS

FURNITURE LOCKS

NEUTRO-01 | OEFL-NEUTRO-W-01 STD BLACK*



Specifications

Fingerprint Lock
For Sliding Wooden & Metal Doors, Wardrobes Sliding Doors,
Hinge Swing Doors, Drawers Pull-Out, Lift-Up Cabinets, etc.
Door Thickness: 5-20mm

NEUTRO-02 | OEFL-NEUTRO-02 STD BLACK*



Specifications

Fingerprint Lock
For Hinge Swing Doors & Drawers Pull-Out
Door Thickness: 5-24mm

*Available online only.

NIGHT LATCH LOCKS

OZ-NL-11R STD ANTIQUE BRASS
OZ-NL-11L STD ANTIQUE BRASS

OZ-NL-11R STD SSS
OZ-NL-11L STD SSS



Mini Latch

Specifications

- Night latch for inside opening doors
- Right & left handed
- High security 3 brass keys
- Finishes: AB/SSS
- Suitable for:
 - Wooden or metal doors
 - Single or double doors
 - Locking from outside by key, inside by knob



OZ-NL-22 STD ANTIQUE BRASS

OZ-NL-22 STD SSS



Night Latch

Specifications

- Reversible latch bolt
- Double stroke dead bolt
- Reversible computerized Key - 4nos. (Brass)
- Suitable for inside/outside opening doors
- Holdback feature prevents any lockout situations
- Suitable for:
 - Wooden or metal doors
 - Single or double doors
 - Locking from outside by key, inside by knob
 - Finishes: AB/SSS



**NIGHT
LATCH
LOCKS**

NIGHT LATCH LOCKS

OZ-NL-33 STD ANTIQUE BRASS

OZ-NL-33 STD SSS



Night Latch (Single Latch + Double Bolt)

Specifications

- Reversible latch bolt
- Double dead bolt with double stroke
- Reversible computerized keys - 4nos. (Brass)
- Suitable for inside/outside opening doors

- Suitable for:
 - Wooden or metal doors
 - Single or double doors
- Locking from outside by key, inside by knob
- Finishes: AB/SSS



NIGHT LATCH LOCKS

OZ-NL-55 STD ANTIQUE BRASS

OZ-NL-55 STD SSS



Grill and Door Locks

Specifications

- Dead bolt option available after shifting latch upwards
- Single sliding bolt with 3 stroke
- Reversible computerized keys - 4nos. (Brass)
- Door thickness: 40mm

- Suitable for:
 - Wooden or metal doors
 - Single or double doors
- Locking from outside by key, inside by knob
- Finishes: AB/SSS



OZ-NL-44 STD ANTIQUE BRASS

OZ-NL-44 STD SSS



Tri Bolt Night Latch

Specifications

- Three strong bolt for triple bolt security
- No fear of accidental locking
- Dead bolts with double stroke
- Reversible computerized keys - 4nos. (Brass)
- Suitable for inside/outside opening doors

- Suitable for:
 - Wooden or metal doors
 - Single or double doors
- Locking from outside by key, inside by knob
- Finishes: AB/SSS



OZ-NL-66 STD ANTIQUE BRASS

OZ-NL-66 STD SSS



Grill and Door Locks

Specifications

- Rod can be used as an aldop
- Dead bolt option available after shifting latch upwards
- Single sliding bolt with 6 stroke
- Reversible computerized keys - 4nos. (Brass)
- Door thickness: 40mm

- Suitable for:
 - Wooden or metal doors
 - Single or double doors
- Locking from outside by key, inside by knob
- Finishes: AB/SSS



DOOR CLOSERS



**DOOR
CLOSERS**

Door Closer | OZ-SD-DC-40 STD SILVER



Rack & pinion door closer with adjustable closing force EN 1-3

Specifications

- Mounting – Door leaf
- Adjustable closing speed
- Latching Speed
- Suitable for metallic and wooden doors
- Both right and left hand opening doors
- Design-Compact and heavy duty
- Maximum Door Width: upto 850mm
- Finishes: Silver & Antique Brass



Door Closer | OZ-SD-DC-40 STD ANTIQUE BRASS



Rack & pinion door closer with adjustable closing force EN 1-3

Specifications

- Mounting – Door leaf
- Adjustable closing speed
- Latching Speed
- Suitable for metallic and wooden doors
- Both right and left hand opening doors
- Design-Compact and heavy duty
- Maximum Door Width: upto 850mm
- Finishes: Silver & Antique Brass




Door Closer | OZ-SD-DC-60 STD SILVER



Rack & pinion door closer with adjustable closing force EN 1-3

Specifications

- Mounting – Door leaf
- Adjustable closing speed
- Latching Speed
- Maximum Door Width: upto 950mm
- Finish: Silver



Door Closer | OZ-SD-DC-NEO 60 SILVER



Rack & pinion door closer with adjustable closing force EN 1-3

Specifications

- Mounting – Door leaf
- Adjustable closing speed
- Latching Speed
- Maximum Door Width: upto 950mm
- Hidden adjustable screws
- Finish: Silver



DOOR CLOSERS

Door Closer | OZ-SD-DC-NEO 60-TA SILVER



Rack & pinion door closer with adjustable closing force EN 1-3

Specifications

- Mounting – Door leaf
- Adjustable closing speed
- Latching Speed
- Maximum Door Width: upto 950mm
- Hidden adjustable screws
- Finishes: Silver, Black Matt & Antique Brass



Tested 100,000 Cycles



Door Width upto 950mm



upto 60 Kg Weight Carrying Capacity

Door Closer | OZ-SD-DC-NEO 60-TA BLACK MATT



Rack & pinion door closer with adjustable closing force EN 1-3

Specifications

- Mounting – Door leaf
- Adjustable closing speed
- Latching Speed
- Maximum Door Width: upto 950mm
- Hidden adjustable screws
- Finishes: Silver, Black Matt & Antique Brass



Tested 100,000 Cycles



Door Width upto 950mm



upto 60 Kg Weight Carrying Capacity

Door Closer | OZ-SD-DC-NEO 60-TA ANTIQUE BRASS



Rack & pinion door closer with adjustable closing force EN 1-3

Specifications

- Mounting – Door leaf
- Adjustable closing speed
- Latching Speed
- Maximum Door Width: upto 950mm
- Hidden adjustable screws
- Finishes: Silver, Black Matt & Antique Brass



Tested 100,000 Cycles



Door Width upto 950mm



upto 60 Kg Weight Carrying Capacity

Door Closer | OZ-SD-DC-NEO 60-TA BROWN MATT



Rack & pinion door closer with adjustable closing force EN 1-3

Specifications

- Mounting – Door leaf
- Adjustable closing speed
- Latching Speed
- Maximum Door Width: upto 950mm
- Hidden adjustable screws
- Finishes: Silver, Black Matt & Antique Brass



Tested 100,000 Cycles



Door Width upto 950mm



upto 60 Kg Weight Carrying Capacity

MORTISE LEVER HANDLE SET

Lever Handle Set



Tubular Mortise Handle in SSS Finish
Material: Stainless Steel
Grade: 304
Finish: SSS

Product Code
OMH-11 LockSet K60 SSS
OMH-11 LockSet N60 SSS
OMH-11 LockSet BT60 SSS

Lever Handle Set



Mortise Handle in SSS Finish
Material: Stainless Steel
Grade: 304
Finish: SSS

Product Code
OMH-11L LockSet K60 SSS
OMH-11L LockSet N60 SSS
OMH-11L LockSet BT60 SSS

Lever Handle Set



D-Type Mortise Handle
Material: Stainless Steel
Grade: 304
Finish: SSS

Product Code
OMH-33 LockSet K60 SSS
OMH-33 LockSet N60 SSS
OMH-33 LockSet BT60 SSS

ALDROPS



ALDROPS
DOOR ACCESSORIES

Aldrops



Grade	Product Code
SS202	OZS-ALD-E1-(P) 12x250MM SSS
	OZS-ALD-E1-(P) 16x200MM SSS
	OZS-ALD-E1-(P) 16x250MM SSS
	OZS-ALD-E1-(P) 16x300MM SSS
SS304	OZS-ALD-(P) 16x200MM SSS
	OZS-ALD-(P) 16x250MM SSS
	OZS-ALD-(P) 16x300MM SSS

Aldrop - Tadi



Grade	Product Code
SS202	OZS-ALD-L-E1(P) 12x200MM SSS
	OZS-ALD-L-E1(P) 12x250MM SSS
SS304	OZS-ALD-L-(P) 12x200MM SSS
	OZS-ALD-L-(P) 12x250MM SSS

Tower Bolts



Grade	Product Code
SS202	OZS-TB-E1-(P) 6" SSS
	OZS-TB-E1-(P) 8" SSS
	OZS-TB-E1-(P) 10" SSS
	OZS-TB-E1-(P) 12" SSS
	OZS-TB-E1-(P) 18" SSS
SS304	OZS-TB-S-(P) 4" SSS
	OZS-TB-S-(P) 6" SSS
	OZS-TB-S-(P) 8" SSS
	OZS-TB-S-(P) 10" SSS
	OZS-TB-S-(P) 12" SSS

Baby Latch | OZS-BL (P) STD SN (ZINC)



Grade	Product Code
SS304	OZS-BL-(P) STD SN

DOOR STOPPERS

Door Stopper with Double Legs



Grade	Product Code
304	OZS-DST-77-(P) STD SSS

Door Stopper with Double Legs



Grade	Product Code
202	OZS-DST-77-E-(P) STD SSS

Door Stopper with Single Leg



Grade	Product Code
202	OZ-DST-66E-(P) STD SN

DOOR PULL HANDLES

Door Pull Handle



Grade	Product Code
304	OZS-DPH-(P) 100MM SSS
	OZS-DPH-(P) 125MM SSS
	OZS-DPH-(P) 150MM SSS
	OZS-DPH (P) 175MM SSS
	OZS-DPH-(P) 200MM SSS

Door Pull Handle



Grade	Product Code
202	OZS-DPH-E-(P) 125MM SSS
	OZS-DPH-E-(P) 150MM SSS
	OZS-DPH-E-(P) 200MM SSS

Pull Handle On Plate



Grade	Product Code
304	OZS-DPHP 10x160MM SSS

WIRE BASKETS

PLAIN BASKET



- Plain basket for use with ball bearing drawer runner
- Basket equipped with prefixed ball bearing runner clamps
- Order ball bearing runner separately
- Finish: Chrome

Product Code (450mm/18inches)	Basket Size(WxDxH)
OZS-WB-P 15x18x4 CP	378x450x100mm
OZS-WB-P 15x18x6 CP	378x450x150mm
OZS-WB-P 15x18x8 CP	378x450x200mm
OZS-WB-P 17x18x4 CP	429x450x100mm
OZS-WB-P 17x18x6 CP	429x450x150mm
OZS-WB-P 17x18x8 CP	429x450x200mm
OZS-WB-P 19x18x4 CP	479x450x100mm
OZS-WB-P 19x18x6 CP	479x450x150mm
OZS-WB-P 19x18x8 CP	479x450x200mm
OZS-WB-P 21x18x4 CP	530x450x100mm
OZS-WB-P 21x18x6 CP	530x450x150mm
OZS-WB-P 21x18x8 CP	530x450x200mm

Product Code (500mm/20inches)	Basket Size(WxDxH)
OZS-WB-P 15x20x4 CP	378x500x100mm
OZS-WB-P 15x20x6 CP	378x500x150mm
OZS-WB-P 15x20x8 CP	378x500x200mm
OZS-WB-P 17x20x4 CP	429x500x100mm
OZS-WB-P 17x20x6 CP	429x500x150mm
OZS-WB-P 17x20x8 CP	429x500x200mm
OZS-WB-P 19x20x4 CP	479x500x100mm
OZS-WB-P 19x20x6 CP	479x500x150mm
OZS-WB-P 19x20x8 CP	479x500x200mm
OZS-WB-P 21x20x4 CP	530x500x100mm
OZS-WB-P 21x20x6 CP	530x500x150mm
OZS-WB-P 21x20x8 CP	530x500x200mm

Product Code (550mm/22inches)	Basket Size(WxDxH)
OZS-WB-P 15x22x4 CP	378x550x100mm
OZS-WB-P 15x22x6 CP	378x550x150mm
OZS-WB-P 15x22x8 CP	378x550x200mm
OZS-WB-P 17x22x4 CP	429x550x100mm
OZS-WB-P 17x22x6 CP	429x550x150mm
OZS-WB-P 17x22x8 CP	429x550x200mm
OZS-WB-P 19x22x4 CP	479x550x100mm
OZS-WB-P 19x22x6 CP	479x550x150mm
OZS-WB-P 19x22x8 CP	479x550x200mm
OZS-WB-P 21x22x4 CP	530x550x100mm
OZS-WB-P 21x22x6 CP	530x550x150mm
OZS-WB-P 21x22x8 CP	530x550x200mm


BASKET INSERTS

- Basket Inserts for conveniently storing kitchen essentials
- Equipped with connector for fixing with basket
- Insert length: 500/550mm
- Finish: Chrome

Description	Product Image	Product Code (450mm/18inches)	Product Code (500mm/20inches)	Product Code (550mm/22inches)
Cup & Saucer Insert for basket height 150mm		OZS-WB-CS-HP 18x3 CP	OZS-WB-CS-HP 20x3 CP	OZS-WB-CS-HP 22x3 CP
Plate Insert for basket height 200mm		OZS-WB-PL-HP 18x5 CP	OZS-WB-PL-HP 20x5 CP	OZS-WB-PL-HP 22x5 CP
Thali Insert for basket height 200mm		OZS-WB-TH-HP 18x7 CP	OZS-WB-TH-HP 20x7 CP	OZS-WB-TH-HP 22x7 CP
Half Partition Insert for basket height 100mm		OZS-WB-P-HP 18x4 CP	OZS-WB-P-HP 20x4 CP	OZS-WB-P-HP 22x4 CP
Half Partition Insert for basket height 150mm		OZS-WB-P-HP 18x6 CP	OZS-WB-P-HP 20x6 CP	OZS-WB-P-HP 22x6 CP
Half Partition Insert for basket height 200mm		OZS-WB-P-HP 18x8 CP	OZS-WB-P-HP 20x8 CP	OZS-WB-P-HP 22x8 CP

WIRE BASKETS

PERFORATED CUTLERY BASKET




- Special Perforated metal sheet cutlery wire basket for use with ball bearing drawer runners
- Basket equipped with prefixed ball bearing runner clamps
- Order ball bearing runner separately
- Finish: Chrome

Product Code (450mm/18inches)	Basket Size (WxDxH)
OZS-WB-C 15x18x4 CP	378x450x100mm
OZS-WB-C 17x18x4 CP	429x450x100mm
OZS-WB-C 19x18x4 CP	479x450x100mm
OZS-WB-C 21x18x4 CP	530x450x100mm

Product Code (500mm/20inches)	Basket Size (WxDxH)
OZS-WB-C 15x20x4 CP	378x500x100mm
OZS-WB-C 17x20x4 CP	429x500x100mm
OZS-WB-C 19x20x4 CP	479x500x100mm
OZS-WB-C 21x20x4 CP	530x500x100mm

Product Code (550mm/22inches)	Basket Size (WxDxH)
OZS-WB-C 15x22x4 CP	378x550x100mm
OZS-WB-C 17x22x4 CP	429x550x100mm
OZS-WB-C 19x22x4 CP	479x550x100mm
OZS-WB-C 21x22x4 CP	530x550x100mm

CUP & SAUCER BASKET




- Basket with prefixed saucer insert for use with ball bearing drawer runners
- Basket equipped with prefixed ball bearing runner clamps
- Order ball bearing runner separately
- Finish: Chrome

Product Code (450mm/18inches)	Basket Size (WxDxH)
OZS-WB-CS 15x18x4 CP	378x450x100mm
OZS-WB-CS 17x18x4 CP	429x450x100mm
OZS-WB-CS 19x18x4 CP	479x450x100mm
OZS-WB-CS 21x18x4 CP	530x450x100mm

Product Code (500mm/20inches)	Basket Size (WxDxH)
OZS-WB-CS 15x20x4 CP	378x500x100mm
OZS-WB-CS 17x20x4 CP	429x500x100mm
OZS-WB-CS 19x20x4 CP	479x500x100mm
OZS-WB-CS 21x20x4 CP	530x500x100mm

Product Code (550mm/22inches)	Basket Size (WxDxH)
OZS-WB-CS 15x22x4 CP	378x550x100mm
OZS-WB-CS 17x22x4 CP	429x550x100mm
OZS-WB-CS 19x22x4 CP	479x550x100mm
OZS-WB-CS 21x22x4 CP	530x550x100mm

PLATE BASKET




- Basket with prefixed plate insert for use with ball bearing drawer runners
- Basket equipped with prefixed ball bearing runner clamps
- Order ball bearing runner separately
- Finish: Chrome

Product Code (450mm/18inches)	Basket Size (WxDxH)
OZS-WB-PL 15x18x6 CP	378x450x150mm
OZS-WB-PL 17x18x6 CP	429x450x150mm
OZS-WB-PL 19x18x6 CP	479x450x150mm
OZS-WB-PL 21x18x6 CP	530x450x150mm

Product Code (500mm/20inches)	Basket Size (WxDxH)
OZS-WB-PL 15x20x6 CP	378x500x150mm
OZS-WB-PL 17x20x6 CP	429x500x150mm
OZS-WB-PL 19x20x6 CP	479x500x150mm
OZS-WB-PL 21x20x6 CP	530x500x150mm

Product Code (550mm/22inches)	Basket Size (WxDxH)
OZS-WB-PL 15x22x6 CP	378x550x150mm
OZS-WB-PL 17x22x6 CP	429x550x150mm
OZS-WB-PL 19x22x6 CP	479x550x150mm
OZS-WB-PL 21x22x6 CP	530x550x150mm

THALI BASKET



- Basket with prefixed thali insert for use with ball bearing drawer runners
- Basket equipped with prefixed ball bearing runner clamps
- Order ball bearing runner separately
- Finish: Chrome

Product Code (450mm/18inches)	Basket Size (WxDxH)
OZS-WB-TH 15x18x8 CP	378x450x200mm
OZS-WB-TH 17x18x8 CP	429x450x200mm
OZS-WB-TH 19x18x8 CP	479x450x200mm
OZS-WB-TH 21x18x8 CP	530x450x200mm

Product Code (500mm/20inches)	Basket Size (WxDxH)
OZS-WB-TH 15x20x8 CP	378x500x200mm
OZS-WB-TH 17x20x8 CP	429x500x200mm
OZS-WB-TH 19x20x8 CP	479x500x200mm
OZS-WB-TH 21x20x8 CP	530x500x200mm

Product Code (550mm/22inches)	Basket Size (WxDxH)
OZS-WB-TH 15x22x8 CP	378x550x200mm
OZS-WB-TH 17x22x8 CP	429x550x200mm
OZS-WB-TH 19x22x8 CP	479x550x200mm
OZS-WB-TH 21x22x8 CP	530x550x200mm

GRAIN TROLLEY BASKET



- Basket for storage of heavy items & use with ball bearing drawer runners
- Basket also equipped with prefixed ball bearing runner clamps
- Order pull-out mechanism separately
- Finish: Chrome

Product Code (500mm/20inches)	Basket Size (WxDxH)
OZS-WB-G 15x20x8 CP	378x500x200mm
OZS-WB-G 17x20x8 CP	429x500x200mm
OZS-WB-G 19x20x8 CP	479x500x200mm
OZS-WB-G 21x20x8 CP	530x500x200mm
OZS-WB-GTMECH 21" GREY	Grain trolley pull-out mechanism

VEGETABLE BASKET



- Basket for open storage of vegetables and fruits & use with ball bearing drawer runners
- Basket equipped with prefixed ball bearing runner clamps
- Order ball bearing runner (500mm) separately
- Finish: Chrome

Product Code (500mm/20inches)	Basket Size (WxDxH)
OZS-WB-V 15x20x6 CP	378x500x150mm
OZS-WB-V 17x20x6 CP	429x500x150mm

DETERGENT RACK



- Wire based double decker rack for keeping detergents and cleaning agents
- For fixing onto hinged cabinet shutter
- Min cabinet width: 300mm
- Finish: Chrome

Product Code	Basket Size (WxDxH)
OZS-W-D 150x450MM CP	253x155x383mm

International Offices



Melbourne, Australia

32-40 Tarnard Drive, Braeside VIC
3195, Tel: +61 1300 088 225
Mob +61 (0) 4 301 301 02
info@ozoneaustralia.com.au
www.ozoneaustralia.com.au



Dubai, UAE

OZONE MEA TRADING LLC
Office no 129, Al Uruba Business
center, garhoud views building,
mezzanine floor (M1-3) Al
Garhoud, PO Box 430704,
Dubai UAE

Works

Cluster-1

Ozone Overseas Pvt. Ltd.
Trilokpur Road, Kheri,
Nahan District-Sirmour,
Kala Amb,
Himachal Pradesh

Cluster-2

Ozone Overseas Pvt. Ltd.
Industrial Area Ghiloth,
Alwar,
Rajasthan

For Security Solutions:

Gurugram*

#548 Udyog Vihar, Phase 5,
Sector 19, Gurugram,
Haryana - 122016
Tel: +91 124 4961164, 65

Experience Centres

Ozone Experience Centre

Build HQ, Raja Annamalai
Building, 1st Floor, Rukmani
Lakshmi pathi Rd, Egmore,
Chennai, Tamil Nadu - 600008

Ozone Experience Centre

Mehrauli-Gurgaon Road,
Opp. Metro Pillar No-94,
Gadaipur, Sector-28,
New Delhi - 110030

Ozone Experience Centre*

Ground Floor, Eldeco
Corporate Chamber -1,
Vibhuti Khand, Gomti
Nagar, Lucknow - 226010

Branch Offices

Ahmedabad

407, 4th Floor, Shivalik Abaise,
Opp. Shell Petrol Pump,
Prahaldnagar,
Ahmedabad - 380051
Tel: +91 079 29706789

Bengaluru

No. 424, 2nd Floor, Above
HDFC Bank,
Passport Office Road, 6th block,
Koramangala, Bengaluru - 560034
Tel: +91 80 41207539
blrhub@ozone-india.com

Chandigarh

SCO 907, NAC Mani Majra
Near Solitaire Hotel,
Chandigarh - 160101
Mob: +91 9316001154

Chennai

1-A, Jasoda Apartments,
No: 12, Ground Floor, Bank Street,
Kilpauk, Chennai - 600010
Tel: 044 43802063

Cochin

No. 737/11, Opp. Lotus Club,
Warriam Road, Ernakulam, Cochin
Kerala - 682016
Mob: +91 7291981739

Hyderabad

Unit # 704, 7th Floor,
Shangrila Plaza,
Road No. 2, Banjara Hills,
Hyderabad - 500034

Indore

503, B Block,
Prakrati Corporate,
Y N Road, Indore - 452001
Mob: +91 9589589902

Jaipur

27, 5th Floor, Mahima Trinity Mall,
Swey Farm, New Sanganer Road,
Jaipur - 302019
Tel: +91 141 2294261
jaipurhub@ozone-india.com

Kolkata

4 Govt Place, 4th floor,
Room No:- 4H
Delta House. Kolkatta - 700001
Mob: +91 9831176481

Pune

#105, 1st Floor, Suyog Center
Market Yard, Gultekdi,
Pune - 411037
Mob: +91 7678117567

Mumbai

The Avenue, 607,
Near Waterstones Hotel,
Int. Airport Road,
Marol, Andheri (E),
Mumbai - 400059
Tel : +91 22 28306453
Mob: +91 7045775977

Surat

201, Luxuria Business Hub,
Nr.V.R.Mall, Surat-Dumas Road,
New Magdalla Road,
Surat - 395007
Mob: +91 9724009921

Visakhapatnam

Door No 48-3-39, Sarayu Residency
Srinagar, Opp. Day and Night
Hospital, Visakhapatnam
A.P. 530016
Mob: +91 9515156438

*Also Operation Office



Visit Website

Specifications are subject to change without any prior notice



Corporate Office: H-40, Bali Nagar, New Delhi - 110015, INDIA

www.ozone.in | Customer Care: +91 9310012300 | customercare@ozone.in